

No. 1907/2006 (REACH)
Printed 11.10.2013

revision 11.10.2013 (GB) Version 1.0

### **WEICON Leak Detection Spray (GB)**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Name of product WEICON Leak Detection Spray (GB)

Code-Nr. 116530

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended intended purpose(s)

**Technical Aerosols** 

1.3. Details of the supplier of the safety data sheet

Manufacturer/distributor WEICON GmbH & Co. KG

Königsberger Straße 255, DE-48157 Münster

Postbox 84 60, DE-48045 Münster

Phone ++49(0)251 / 9322 - 0, Fax ++49(0)251 / 9322-244

E-Mail: info@weicon.de Internet: www.weicon.de

Advice Abteilung Angebote, Verkauf, Export

Phone ++49(0)251 / 9322 - 0 E-mail (competent person):

info@weicon.de

1.4. Emergency telephone number

Emergency advice Giftnotruf Bonn: Bei Vergiftungen (in case of poisoning)

Phone ++49(0)228-19 240

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to 67/548/EEC or 1999/45/EC

Xi; R41 **R-phrases** 

41 Risk of serious damage to eyes.

#### 2.2. Label elements

### Labelling according to 1999/45/EC

#### Remarks for labelling

The product is classified and labelled in accordance with EC directives/German regulations on dangerous substances.

Xi Irritant

R-phrases

41 Risk of serious damage to eyes.

S-phrases

23 Do not breathe spray.

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Wear eye/face protection.

51 Use only in well-ventilated areas.



No. 1907/2006 (REACH)
Printed 11.10.2013

revision 11.10.2013 (GB) Version 1.0

### **WEICON Leak Detection Spray (GB)**

#### Special rules for supplemental label elements for certain mixtures

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

### 2.3. Other hazards

### Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

not applicable

#### 3.2. Mixtures

#### Description

Leak Detection Spray basing on aqueous tenside solution; without solvents.

#### Hazardous ingredients

| CAS No                 | EC No     | Name   | [%<br>weight]    | Classification according to 67/548/EEC                                |
|------------------------|-----------|--|------------------|---|
| 124-38-9<br>62601-60-9 | 204-696-9 | carbon dioxide<br>Polycarboxylic acid, sodium salt | < 2,5<br>10 - 25 | Xi; R41   |
| CAS No                 | EC No     | Name   | [%<br>weight]    | Classification according to Regulation (EC)<br>No 1272/2008 [CLP/GHS] |
| 124-38-9<br>62601-60-9 | 204-696-9 | carbon dioxide<br>Polycarboxylic acid, sodium salt | < 2,5<br>10 - 25 | Press. Gas, H280<br>Eye Dam. 1, H318                                  |

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

### **General information**

no

#### In case of inhalation

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

### In case of skin contact

In case of contact with skin wash off with water.

#### In case of eye contact

In case of contact with eyes rinse thoroughly with plenty of water and seek medical advice.

### In case of ingestion

If swallowed seek medical advice immediately and show the doctor packing or label.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed Treatment (Advice to doctor)

Treat symptoms.



No. 1907/2006 (REACH)
Printed 11.10.2013

revision 11.10.2013 (GB) Version 1.0

**WEICON Leak Detection Spray (GB)** 

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Foam

Dry fire-extinguishing substance

Carbon dioxide

water mist

### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

Danger of bursting

Fire gas of organic material has to be classed invariably as respiratory poison.

### 5.3. Advice for firefighters

### Special protective equipment for fire-fighters

Use breathing apparatus with independent air supply.

#### **Additional information**

Cool endangered containers with water spray jet.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

#### 6.2. Environmental precautions

Do not seep away runed out product into ground or body of water.

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and material for containment and cleaning up

Take up with absorbent material (e.g. sand, kieselguhr, acid binder, general-purpose binder, sawdust).

### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

### General protective measures

Avoid contact with eyes and skin

Do not inhale aerosols

### Hygiene measures

At work do not eat, drink and smoke.

#### Advice on protection against fire and explosion

The product is not combustible.

### 7.2. Conditions for safe storage, including any incompatibilities

### Requirements for storage rooms and vessels

Keep in closed original container.

Adhere to administrative regulations relating to storage of compressed gas cylinders / containers.

### Further information on storage conditions

Protect from heat and direct solar radiation.

Storage temperature may not exceed 50°C (=122°F).



No. 1907/2006 (REACH)
Printed 11.10.2013

revision 11.10.2013 (GB) Version 1.0

**WEICON Leak Detection Spray (GB)** 

#### Information on storage stability

At storing temperature below 40°C unlimited stability.

### 7.3. Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Ingredients with occupational exposure limits to be monitored

| CAS No   | Name           | Code       | [mg/m3] | [ppm] | Remark    |
|----------|----------------|------------|---------|-------|-----------|
| 124-38-9 | Carbon dioxide | 8 hours    | 9150    | 5000  | EH40/2005 |
|          |                | Short-term | 27400   | 15000 |           |

### 8.2. Exposure controls

### Respiratory protection

Not required

#### Hand protection

In the cases of special applications, it is recommended to check the chemical resistance with the manufacturer of the gloves.

Glove material specification [make/type, thickness, permeation time/life, wetting resistance]:: Nitrile rubber; 0,4mm; 480min; 60min.

Chemical protective gloves must be chosen carefully in view of their design and depending on the dependence on the concentration and amounts of dangerous goods used in the specific working tasks.

#### Eye protection

safety goggles

### Skin protection

protective clothing

#### Additional advice on system design

no

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Form Colour Odour

aerosol cloudy hardly noticeable

Important health, safety and environmental information

Value Temperature at Method Remark

pH value in delivery state No data

available

boiling point 100 °C

Flash point not applicable

Lower explosion limit not applicable

Upper explosion limit not applicable

**Vapour pressure** 23 hPa 20 °C



No. 1907/2006 (REACH)
Printed 11.10.2013

revision 11.10.2013 (GB) Version 1.0

### **WEICON Leak Detection Spray (GB)**

|   | Value       | Temperature | at | Method | Remark        |
|---|-------------|-------------|----|--------|---------------|
| Relative density  | 1,049 g/cm3 |             |    |        |               |
| Solubility in water                                     |             |             |    |        | multimiscible |
| <b>9.2. Other information</b> No information available. |             |             |    |        |               |

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

### 10.4. Conditions to avoid

Keep away from heat. Heating above 50°C

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

### Thermal decomposition

Remark No decomposition if used as directed.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

## Acute toxicity/Irritability/Sensitization

|                                  | Value/Validation                       | Species | Method | Remark |
|----------------------------------|--|---------|--------|--------|
| LD50 acute oral                  | No data available                      |         |        |        |
| LD50 acute dermal                | No data available                      |         |        |        |
| LC50 acute inhalation            | No data available                      |         |        |        |
| Irritability skin                | non-irritant                           |         |        |        |
| Irritability eye                 | irritant - risk of strong eye injuries |         |        |        |
| Skin sensitization               | No data available                      |         |        |        |
| Sensitization respiratory system | No data available                      |         |        |        |



No. 1907/2006 (REACH)
Printed 11.10.2013

revision 11.10.2013 (GB) Version 1.0

### **WEICON Leak Detection Spray (GB)**

#### Aspiration hazard

not applicable

### **Experiences made from practice**

According to our experience and current information, the product has no detrimental effects on health if handled and used correctly

#### **Additional information**

The product is to be handled with the caution usual with chemicals.

Other hazardous properties may not be excluded.

No toxical dates available.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No information available.

### 12.2. Persistence and degradability

No information available.

#### 12.3. Bioaccumulative potential

No information available.

### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

#### 12.6. Other adverse effects

### Behaviour in sewage plant

When low concentrations are discharged correctly into adapted biological sewage treatment plants, interference with the degradation activity of activated sludge is not likely.

## Contains following heavy metals and compounds of the 76/464/EWG

no

### **General regulation**

Ecological dates are not available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

### Waste code No.

### Name of waste

15 01 10\* 16 05 04\* packaging containing residues of or contaminated by dangerous substances gases in pressure containers (including halons) containing dangerous substances

Wastes marked with an asterisk are considered to be hazardous waste pursuant to Directive 91/689/EEC on hazardous waste.

#### Recommendations for the product

Material recycling possible.

Remove in accordance with local official regulations.

#### Recommendations for packaging

Dispose of according to the local waste regulations.

### **General information**

For proper waste disposal a complete emptying of the tin is necessary.



No. 1907/2006 (REACH)
Printed 11.10.2013

revision 11.10.2013 (GB) Version 1.0

WEICON Leak Detection Spray (GB)

### **SECTION 14: Transport information**

### Land and inland navigation transport ADR/RID

UN 1950 AEROSOLS, 2.2, (E), Classification code: 5A

transport in "limited quantities" according to 3.4 ADR is possible

#### Marine transport IMDG

**UN 1950 AEROSOLS, 2.2** 

#### Air transport ICAO/IATA-DGR

UN 1950 Aerosols, non-flammable, 2.2

#### Transport/further information

24h EMERGENCY CONTACT (TRANSPORT) +49(0)178 433 7434 (Consultank Lutz Harder GmbH)

#### Special precautions for user

No information available.

### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **VOC** standard

#### Remark

Daten separat anfragen / Request data separately.

### 15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

### Recommended uses and restrictions

National and local regulations concerning chemicals shall be observed.

#### **Further information**

The information contained herein is based on the state of our knowledge. It characterizes the product with regard to the appropriate safety precautions. It does not represent a guarantee of the properties of the product.

### Wording of the R/H-phrases specified in chapter 3 (not the classification of the mixture!)

R 41 Risk of serious damage to eyes.

H280 Contains gas under pressure; may explode if heated.

H318 Causes serious eye damage.