



WEICON Solutions for

# Maintenance



[www.weicon.com/app](http://www.weicon.com/app)



[www.weicon.com](http://www.weicon.com)

For further detailed product information please visit [www.weicon.com](http://www.weicon.com) or use the WEICON App



## Technical Sprays and Technical Liquids

Technical sprays and liquid substances are used in almost all areas of industry. They are used for the care and protection of

surfaces, for cleaning and degreasing, lubricating, releasing and separating and are an indispensable part of daily work.

### Cleaner Spray S

- powerful
- evaporates without residues
- not regreasing

500 ml ✓ 5 L ✓  
11202500 15200005

### Multi Foam

- powerful universal cleaner for residue-free cleaning
- cleans the most diverse types of surfaces such as metal, plastic, glass, ceramics or lacquered and coated surfaces

400 ml ✓  
11200400

### Surface Cleaner

- for pretreatment of bonding surfaces
- evaporates quickly without residues
- for metal and plastic

400 ml ✓ 5 L ✓  
11207400 15207005

### Citrus Cleaner

- universal cleaner based on citrus peel extracts
- cleans machines and systems, precision engineering components and precision mechanisms

400 ml ✓ 5 L ✓  
11217400 15210005



### Rust Shock

- the chemical wrench
- free of mineral oil, grease and silicone
- loosens threaded joints within a very short time

400 ml ✓  
11151400

### Rust Converter

- Rust Converter and base coat in one process
- protects from corrosion and is suitable for internal and external use

400 ml ✓  
11155400

### WSD 400 Pressurized-Air Spray Can

- refillable
- made of aluminium
- container volume of 400 ml

400 ml ✓  
15811400



### Rust Protection 2000 PLUS

- high corrosion and weathering resistance
- > 2000 hours salt spray test

400 ml ✓ 400 ml ✓  
11012400 11013400

charcoal-grey silver-grey



### Sealant and Adhesive Remover

- removes residues of hardened sealants and adhesives as well as lacquers and paints
- can be used on metal, wood, glass, ceramics, polyethylene and polypropylene

400 ml ✓ 5 L ✓  
11202400 15213005

### Silicone Spray

- sliding and release agent
- provides a durable separating film
- high sliding effect

400 ml ✓  
11350400

### Contact Spray

- protection and care of electrical contacts and components
- keeps contacts, fuses and cable connections free of oxidation

400 ml ✓  
11152400

### Zinc Spray bright grade

- coating of welded joints and drilled holes
- long-term corrosion protection
- with a bright colour shade matched to hot galvanization

400 ml ✓  
11001400



### Alu Grinding Protection

- effective with all abrasives
- silicone-free
- the grinding performance can be increased by up to 350%

400 ml ✓  
11451400

### Bio-Cut

- drilling and tapping oil
- biodegradable
- enables higher cutting performance

250 ml ✓ 400 ml ✓ 5 L ✓  
15750002 11750400 15750005



# WEICON Solutions for Maintenance

## Technical Sprays and Technical Liquids



NEW  
500 ml

**Double Nozzle**  
Only for the 500 ml product



### Belt Dressing Spray

- prevents belt slip
- for all kinds of drive belts
- can also be used during ongoing operation

400 ml ✓  
11511400

### Pneuma-Lube

- lubricant for pneumatic equipment
- excellent weathering resistance
- high content of PTFE

400 ml ✓ 1 L ✓  
11260400 15260001

### W 44 T® Multi-Spray

- lubricates precision mechanics
- dispels moisture
- corrosion protection

400 ml ✓ 500 ml ✓ 5 L ✓  
11251400 11251550 15251005

## Epoxy Adhesives

### Fast-Metal Minute Adhesive

- highly filled
- fast-curing
- gap-filling

24 ml ✓  
10551024

-50°C (-58°F)  
to +145°C (+293°F)



### Epoxy Minute Adhesive

- transparent
- fast-curing
- high adhesive strength

24 ml ✓  
10550024

Can alternatively be processed with Quadro Mixing Nozzle (Art.-No. 10650005).



## Plastic-Bond

- excellent adhesion on plastics
- high strength
- shock and impact resistant

24 ml ✓  
10565024

Can alternatively be processed with Quadro Mixing Nozzle (Art.-No. 10650005).



### Quadro Mixing Nozzle



10650005

## Assembly Pastes

All kinds of influencing factors, e.g. moisture, temperature or friction, repeatedly lead to corrosion damage, seizure and wear on machines and installations.

Extensive repair and maintenance work at considerable costs are the consequence.

Especially under extreme conditions of application, e.g.

- high operation temperatures
- high pressure loads
- outdoor weather conditions

such consequences frequently occur.

### Anti-Seize

- long-lasting protection against corrosion, seizure and wear
- high temperature resistant up to +1.200°C (+2192°F)
- exceptionally good separating effect

200 ml ✓ 500 g ✓ 10 kg ✓  
26000200 26000050 26000910  
Press pack Brush-top can Bucket



For further detailed product information please visit [www.weicon.com](http://www.weicon.com) or use the WEICON App



## WEICONLOCK® - Anaerobic adhesives and sealants

Especially designed for economical threadlocking, retaining and sealing of threaded, cylindrical and pipe assemblies.

After curing, the adhesive bonding is resistant to vibration, impact, chemicals, solvents and temperature from -60°C to +150 °C (-76°F to +302°F).



### AN 302-43 TZW



- threadlocking
- thread connections up to M 36
- KTW drinking water - and DVGW approval

higher viscosity • medium strength disassembly with normal tools

50 ml ✓  
30243150

### AN 302-70



- locking of threads and stud bolts
- thread connections up to M 36
- DVGW approval

medium viscosity • high strength hard to disassemble

50 ml ✓  
30270150

### AN 305-42



- hydraulic and pneumatic sealing
- DVGW approval

medium viscosity • medium strength disassembly with normal tools

50 ml ✓  
30542150



### AN 305-72



- pipe and flange sealing with PTFE
- immediate sealing effect
- DVGW approval

high viscosity • medium strength disassembly with normal tools

50 ml ✓ 300 ml ✓  
30572150 30572300



### AN 306-38

- adhesive for bearings and bolts
- for bearings, bushings, gear wheels and bolts when gaps are up to 0,2 mm

medium viscosity • high strength hard to disassemble

50 ml ✓  
30638150

### AN 305-77



- sealing of threaded pipes and fittings
- DVGW approval for oxygen

high viscosity • high strength hard to disassemble

50 ml ✓ 300 ml ✓  
30577150 30577300

## Contact – Cyanoacrylate Adhesives

WEICON Contact are solvent-free instant adhesives. They bond various materials, such as metal, glass, wood, plastic, ceramic, leather and rubber, to and among each other in seconds.



O-Ring bonding

### VA 100

- Cyanoacrylate Adhesive for rubber and plastics
- medium viscosity
- slightly longer curing

30 g ✓  
12050030



### WEICON O-Ring Bonding Set

#### Content:

- 12603012 Contact VA 30 Black 12 g
- 11207150 Surface Cleaner 150 ml
- 12450010 Contact Primer 10 ml
- 13250000 WEICON Safety Knife

1 m round cord (NBR) each:  
Ø 2, 3, 4, 6 und 8 mm

Set ✓  
12508030



# WEICON Solutions for Maintenance

## Elastic Adhesives and Sealants

Elastic adhesives and sealants are used today in many areas of industrial production and assembly. They combine the advantages of

adhesive bonding and sealing technology and are used wherever the elasticity and the sealing of a joint are the most important requirements.



### Speed-Flex®

**ISEGA**  
Certificate of Conformity as an adhesive in food technology

- replaces traditional fixings
- high initial strength; also suitable for vertical surfaces
- for in- and outside applications

310 ml ✓	310 ml ✓
13600310	13602310
white	grey



**WEICON**  
**Cartridge Gun „Special“**  
13250002

### HT 300

- solid percentage of 100%
- temperature resistant from -60°C to +300°C
- breaking elongation of 500%

85 ml ✓	310 ml ✓
13050085	13050310
Tube	Cartridge



### Black-Seal

- extremely resistant against oil, grease and chemicals
- breaking elongation of 500%

85 ml ✓	200 ml ✓	310 ml ✓
13051085	13051200	13051310
Tube	Press pack	Cartridge



### Flex+bond®

- highly elastic and strong
- ISEGA certificate
- free of silicone

**ISEGA**  
Certificate of Conformity as an adhesive in food technology

200 ml ✓	200 ml ✓	200 ml ✓	200 ml ✓
13350200	13352200	13351200	13353200
Press pack white	Press pack black	Press pack grey	Press pack transparent



85 ml ✓	85 ml ✓	85 ml ✓	85 ml ✓
13350085	13352085	13351085	13353085
white	black	grey	transparent

## Threadlocking Varnish

- protection and safety against manipulation
- solvent-based, fast drying securing
- durable against water, petrol, diesel, mineral oil, paraffin oil and diluted acids and lyes

30 g ✓	30 g ✓	30 g ✓
30020030	30021030	30022030
red	yellow	green



For further detailed product information please visit [www.weicon.com](http://www.weicon.com) or use the WEICON App



## Plastic Metal

WEICON Plastic Metal is ideal for providing fast, cost-effective and durable repairs and coatings to many different types of material.

### WEICON SF



- pasty, steel filled
- for fast repairs (5 minute pot life)
- certified by Germanischer Lloyd

0,5 kg ✓ 2,0 kg ✓  
10250005 10250020

\* Certified by Germanischer Lloyd for the suitability of WEICON Plastic Metal SF

### WEICON HB 300

- steel filled
- pasty, for spatula application
- high temperature resistant (-35°C to +280°C)

1,0 kg ✓  
10450010


### WEICON Keramik BL

- for the lining of heavily stressed pump housings
- liquid
- high temperature resistant from -35°C (-31°F) to +180°C (+356°F)

0.5 kg ✓ 2.0 kg ✓  
10400005 10400020

## Repair Sticks

The easy solution for all repair and maintenance work. Always the right portion, even for small repairs, easy use.



### Aqua

- for underwater applications
- ceramic-filled

57 g ✓ 115 g ✓  
10531057 10531115



### Copper



- very fast curing
- colour: copper
- NSF drinking water certificate ANSI Standard 61

57 g ✓ 115 g ✓  
10530057 10530115

### Steel



- fast curing
- colour: dark grey
- NSF drinking water certificate ANSI Standard 61

57 g ✓ 115 g ✓  
10533057 10533115

## WEICON GMK 2410

GMK 2410 is an adhesive based on polychloroprene (CR) for the high-strength, full-surface and flexible bonding of

- rubber to rubber
- rubber to metal

WEICON GK 2410 also bonds cellular rubber (e.g. neoprene), PE foam, leather, felt, insulating material, textiles, wood, and many plastics.

- high strength
- for large surfaces
- resistant to humidity



185 g ✓ 300 g ✓  
16100185 16100300  
Tube Can

350 g ✓ 700 g ✓  
16100350 16100700  
Brush top can Can

5 kg ✓ 25 kg ✓  
16100905 16100925  
Bucket Bucket



# WEICON Solutions for Maintenance

**WEICON TOOLS®**
*No. 1 in Form & Funktion*
**KNIFE-STEEL**  
Quality from Solingen


Since 1967 we develop, produce and distribute an extensive range of wire stripping tools. This includes cable strippers, wire strippers, dismantling and multi-functional tools. Our tools have been developed for accurate, fast and safe stripping of all common cable

types. They carry the GS seal of TÜV Nord and were developed under the aspects of work safety. The tools are specifically tailored to the needs of professional users, are found in both, crafts and industrial use and are also suitable for domestic use.

## Wire Stripper No. 5

- for finely stranded and solid conductors with PVC insulation
- for all common conductors from 0,2 - 6 mm<sup>2</sup> (24 - 10 AWG)

51000005



## Wire Stripper No. 7 Magic

- for finely stranded and solid conductors with PVC insulation
- for all common round cables from 0,5 - 16 mm<sup>2</sup> (20 - 6 AWG flexible) (20 - 8 AWG massive)

51000007



## Multi-Opener

The ideal tool for the gently opening of sensitive equipment and dismantling of clipped housings

- no scratching of sensitive surfaces
- conductive ESD material protects against electrostatic discharge
- flexible fibreglass-reinforced polyamide



52800000



## Cable Stripper No. S 4-28 Multi

- stripping function integrated in the housing
- wire stripping of all common round cables of 0,5 und 6 mm<sup>2</sup>

50057328



## Quadro-Stripper No. 16

- circular and longitudinal cutting - stripping - cutting
- exchangeable hook blade, firmly locked in any position
- anti-slip handle shape

52000016



## Cable Scissors No. 35

- 2-component handles for increased safety
- high cutting performance
- blades made of special stainless steel

52000035

## Starter-Set Pro

- Wire Stripper No. 5
- Coax-Stripper No. 2
- Cable Stripper No. S 4-28
- Round Cable Stripper No. 13

52880001



**WEICON GmbH & Co. KG**  
(Headquarters)

Königsberger Str. 255 · DE-48157 Münster  
P.O. Box 84 60 · DE-48045 Münster  
Germany  
phone +49 (0) 251 9322 0  
info@weicon.de

**WEICON Middle East L.L.C.**

Jebel Ali Ind Area 3  
P.O. Box 118 216 · Dubai  
United Arab Emirates  
phone +971 4 880 25 05  
info@weicon.ae

**WEICON Inc.**

20 Steckle Place · Unit 20  
Kitchener · Ontario N2E 2C3 · Canada  
phone +1 877 620 8889  
info@weicon.ca

**WEICON Kimya Sanayi Tic. Ltd. Şti.**

Orhan Gazi Mahallesi 16. Yol Sokak No: 6  
34517 Hadimköy-Esenyurt · Istanbul  
Turkey  
phone +90 (0) 212 465 33 65  
info@weicon.com.tr

**WEICON Romania SRL**

Str. Podului Nr. 1  
547176 Budui Mic (Targu Mures) · Romania  
phone +40 (0) 3 65 730 763  
office@weicon.com

**WEICON SA (Pty) Ltd**

Unit No. D1 · Enterprise Village  
Capricorn Drive · Capricorn Park  
Muizenberg 7945 (Cape Town) · South Africa  
phone +27 (0) 21 709 0088  
info@weicon.co.za

**WEICON South East Asia Pte Ltd**

5 Soon Lee Street  
Pioneer Point #03-56 · Singapore 627607  
phone (+65) 6710 7671  
info@weicon.com.sg

**WEICON Czech Republic s.r.o.**

Teplická 305  
CZ-417 61 Teplice-Bystřany  
Česká republika  
phone +42 (0) 417 533 013  
info@weiconcz.cz

**WEICON Ibérica S.L.**

Av. de Somo Sierra 18, Nave 6  
San Sebastián de los Reyes  
28703 Madrid  
phone +34 (0) 914 7997 34  
info@weicon.es

[weicon.com](http://weicon.com)



Management System  
ISO 9001:2015


[www.tuv.com](http://www.tuv.com)  
ID 9108636595



WEICON Solutions for  
**Maintenance**

Art.-No. 10903302

Distributed by:



Any product specifications and recommendations given herein must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do warrant the continuously high quality of our products being free from defects in accordance with and subject to our General Sales Conditions. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.  
BL/10903302/09/17/2